

Specifications:

Basic

Backlight Technology:	LED
Brand Name:	LG
Brightness:	500 cd/m²
DVI:	Yes
Display Resolution:	1920 x 1080
Display Screen Type:	LCD
Dynamic Contrast Ratio:	500,000:1
Ethernet Technology:	Ethernet
HDMI:	Yes
Product Family:	LV35A
Product Type:	Digital Signage Display
Screen Size:	139.7 cm (55")
USB:	Yes
VESA Mount Standard:	600 x 400

Camera

Display Screen Type:	LCD
Screen Size:	139.7 cm (55")

Display & Graphics

Aspect Ratio:	16:9
Backlight Technology:	LED
Brightness:	500 cd/m²
Display Resolution:	1920 x 1080
Display Screen Type:	LCD
HDCP Supported:	Yes
Horizontal Viewing Angle:	178°
Response Time:	12 ms
Screen Size:	139.7 cm (55")
Vertical Viewing Angle:	178°

General Information

Brand Name:	LG
Manufacturer Part Number:	55LV35A
Manufacturer:	LG Electronics
Package Contents:	• Super Narrow Bezel Video Wall Display • Remote Controller • Power cable • DVI Cable • Manual • IR Receiver • RS-232C Cable • Guide Bracket • Screw

Product Model:	55LV35A
Product Name:	Super Narrow Bezel Video Wall Display
Product Series:	LV35A
Product Type:	Digital Signage Display

Image

Aspect Ratio:	16:9
Brightness:	500 cd/m²

Interfaces/Ports

Component Video:	Yes
Composite Video:	Yes
DVI:	Yes
DisplayPort:	Yes
Ethernet Technology:	Ethernet

HDCP Supported:	Yes
HDMI:	Yes
Network (RJ-45):	Yes
Serial:	Yes
USB Standard:	USB 2.0
USB:	Yes
Media & Performance	
Ethernet Technology:	Ethernet
Miscellaneous	
Certifications & Standards:	Safety: • UL • cUL • CB • KC
	EMC: • FCC Class "A" • CE • KCC
Features:	Anti-glare Auto Power & Source Recovery Digital Noise Reduction In-plane Switching (IPS) Technology Landscape/Portrait Viewable Media Player Temperature Sensor TileMatrix Support Video Wall
Green Compliance	ENERGY STAR 6.0
Certificate/Authority:	ErP TÜV
Green Compliant:	Yes
Package Contents:	• Super Narrow Bezel Video Wall Display • Remote Controller • Power cable • DVI Cable • Manual • IR Receiver • RS-232C Cable • Guide Bracket • Screw
Network & Communication	
Ethernet Technology:	Ethernet
Ethernet:	Yes
Physical Characteristics	
Colour:	Black
Depth:	8.9 cm
Height:	68.4 cm
VESA Mount Compatible:	Yes
VESA Mount Standard:	600 x 400
Weight (Approximate):	23 kg
Width:	121.3 cm
Power Description	
Input Voltage:	120 V AC 230 V AC
Power Consumption:	160 W
Product Information	

Brightness:	500 cd/m²
Display Resolution:	1920 x 1080
Display Screen Type:	LCD
Features:	Anti-glare Auto Power & Source Recovery Digital Noise Reduction In-plane Switching (IPS) Technology Landscape/Portrait Viewable Media Player Temperature Sensor TileMatrix Support Video Wall

Power Consumption:	160 W
Screen Size:	139.7 cm (55")
Width:	121.3 cm

Remote Control

Display Screen Type:	LCD
----------------------	-----

Storage

Features:	Anti-glare Auto Power & Source Recovery Digital Noise Reduction In-plane Switching (IPS) Technology Landscape/Portrait Viewable Media Player Temperature Sensor TileMatrix Support Video Wall
-----------	---

Technical Information

Aspect Ratio:	16:9
Backlight Technology:	LED
Brightness:	500 cd/m²
Display Screen Type:	LCD
Ethernet Technology:	Ethernet
Features:	Anti-glare Auto Power & Source Recovery Digital Noise Reduction In-plane Switching (IPS) Technology Landscape/Portrait Viewable Media Player Temperature Sensor TileMatrix Support Video Wall

HDCP Supported:	Yes
Horizontal Viewing Angle:	178°
Response Time:	12 ms
Scan Format:	1080p
Screen Size:	139.7 cm (55")
USB Standard:	USB 2.0
USB:	Yes
Vertical Viewing Angle:	178°

Video

Aspect Ratio:	16:9
Brightness:	500 cd/m²
Dynamic Contrast Ratio:	500,000:1
Native Contrast Ratio:	1,400:1
Scan Format:	1080p
Standard Refresh Rate:	60 Hz

Wireless Specifications

Features:

Anti-glare
Auto Power & Source Recovery
Digital Noise Reduction
In-plane Switching (IPS) Technology
Landscape/Portrait Viewable
Media Player
Temperature Sensor
TileMatrix Support
Video Wall